

Product family datasheet

PARATHOM CLASSIC A

LED lamps, classic bulb shape



- Domestic applications General illumination Outdoor applications only in suitable luminaires

- Low energy consumption Easy replacement of classic lamps thanks to compact design Instant 100 % light, no warm-up time
- Product features LED alternative to conventional lamps Mercury-free lampsProduct benefits Low energy consumption Easy replacement of classic lamps thanks to compact design Instant 100 % light, no warm-up timeAreas of application Domestic applications General illumination Outdoor applications only in suitable luminairesReferences / LinksFor further products and actual information concerning LED lamps see www.ledvance.com/ledlampsFor Guarantee see www.ledvance.com/guarantee



Product family datasheet

Technical data

Product description	Electrical data		Photometrical data			Light technical data	Dimensions & weight
	Nominal wattage	Nominal voltage	Nominal luminous flux	Rated color temperature	Light color (designation)	Starting time	Overall length
P CLAS A 19 W/827 E27 ¹⁾	19.00 W	220...240 V	2451 lm	2700 K	Warm White	< 0.5 s	128.0 mm
P CLAS A 5.5 W/827 E27 ¹⁾	5.50 W	220...240 V	470 lm	2700 K	Warm White	< 0.5 s	112.0 mm
P CLAS A 5.5 W/840 E27 ¹⁾	5.50 W	220...240 V	470 lm	4000 K	Cool White	< 0.5 s	112.0 mm
P CLAS A 8.5 W/827 E27 ¹⁾	8.50 W	220...240 V	806 lm	2700 K	Warm White	< 0.5 s	107.0 mm
P CLAS A 8.5 W/840 E27 ¹⁾	8.50 W	220...240 V	806 lm	4000 K	Cool White	< 0.5 s	112.0 mm
P CLAS A 11 W/827 E27 ¹⁾	11.00 W	220...240 V	1055 lm	2700 K	Warm White	< 0.5 s	120.0 mm
P CLAS A 11 W/840 E27 ¹⁾	11.00 W	220...240 V	1055 lm	4000 K	Cool White	< 0.5 s	120.0 mm


Product description	Lifespan				Additional product data	Capabilities	Certificates & standards
	Nominal lamp life time	Rated lamp life time	Number of switching cycles	Lumen maintenance at end of service life	Base (standard designation)	Dimmable	Energy efficiency class
P CLAS A 19 W/827 E27 ¹⁾	15000 h	15000 h	100000	0.70	E27	No	A++
P CLAS A 5.5 W/827 E27 ¹⁾	15000 h	15000 h	100000	0.70	E27	No	A+
P CLAS A 5.5 W/840 E27 ¹⁾	15000 h	15000 h	100000	0.70	E27	No	A+
P CLAS A 8.5 W/827 E27 ¹⁾	15000 h	15000 h	100000	0.70	E27	No	A+
P CLAS A 8.5 W/840 E27 ¹⁾	15000 h	15000 h	100000	0.70	E27	No	A+
P CLAS A 11 W/827 E27 ¹⁾	15000 h	15000 h	100000	0.70	E27	No	A+
P CLAS A 11 W/840 E27 ¹⁾	15000 h	15000 h	100000	0.70	E27	No	A+

Product description	Energy consumption	Country specific categorizations	
		Order reference	ILCOS
P CLAS A 19 W/827 E27 ¹⁾	19 kWh/1000h	LEDPCA150 19W/	
P CLAS A 5.5 W/827 E27 ¹⁾	6 kWh/1000h	LEDPCA40 5,5W/	
P CLAS A 5.5 W/840 E27 ¹⁾	6 kWh/1000h	LEDPCA40 5,5W/	


Product family datasheet

Product description	Energy consumption	Country specific categorizations	
		Order reference	ILCOS
P CLAS A 8.5 W/827 E27 ¹⁾	9 kWh/1000h	LEDPCLA60 8,5W/	DRAA/F-9/827-220-240-E27-60
P CLAS A 8.5 W/840 E27 ¹⁾	9 kWh/1000h	LEDPCLA60 8,5W/	DRAA/F-9/840-220-240-E27-60
P CLAS A 11 W/827 E27 ¹⁾	11 kWh/1000h	LEDPCLA75 11W/8	
P CLAS A 11 W/840 E27 ¹⁾	11 kWh/1000h	LEDPCLA75 11W/8	

¹⁾ All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value



P CLAS A 19 W/827 E27



P CLAS A 5.5 W/827 E27, P CLAS A 5.5 W/840 E27, P CLAS A 8.5 W/827 E27, P CLAS A 8.5 W/840 E27, P CLAS A 11 W/827 E27, P CLAS A 11 W/840 E27

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075292536	P CLAS A 19 W/827 E27	Shipping carton box 10	366 mm x 151 mm x 150 mm	8.29 dm ³	1910.00 g
4058075292277	P CLAS A 5.5 W/827 E27	Shipping carton box 10	325 mm x 136 mm x 126 mm	5.57 dm ³	533.00 g
4058075292246	P CLAS A 5.5 W/840 E27	Shipping carton box 10	325 mm x 136 mm x 126 mm	5.57 dm ³	673.00 g
4058075291966	P CLAS A 8.5 W/827 E27	Shipping carton box 10	325 mm x 136 mm x 126 mm	5.57 dm ³	533.00 g
4058075292291	P CLAS A 8.5 W/840 E27	Shipping carton box 10	325 mm x 136 mm x 126 mm	5.57 dm ³	693.00 g
4058075292024	P CLAS A 11 W/827 E27	Shipping carton box 10	315 mm x 131 mm x 134 mm	5.53 dm ³	840.00 g
4058075292048	P CLAS A 11 W/840 E27	Shipping carton box 10	315 mm x 131 mm x 134 mm	5.53 dm ³	840.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further products and actual information concerning LED lamps see

Product family datasheet

► www.osram.com/ledlamps

For Guarantee see

► www.osram.com/guarantee

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany