

Product family datasheet

LEDinestra DIM

Tubular LED lamps



- Ideal for mirror lighting Hotels, restaurants Domestic applications Outdoor applications only in suitable luminaires

- Very long lifetime of up to 25,000 h Low energy consumption Good color rendering
- Product features LED alternative to tubular incandescent lamps Dimmable (with many common dimmers, see also www.ledvance.com/dim) For especially uniform illumination Mercury-free lamps Bulb made from glassProduct benefits Very long lifetime of up to 25,000 h Low energy consumption Good color renderingAreas of application Ideal for mirror lighting Hotels, restaurants Domestic applications Outdoor applications only in suitable luminairesReferences / LinksFor dimming conformity see www.ledvance.com/dimFor Guarantee see www.ledvance.com/guarantee





Product family datasheet

Technical data

Product description	Electrical data		Photometrical data			Dimensions & weight	Lifespan
	Nominal wattage	Nominal voltage	Rated color temperature	Light color (designation)	Nominal luminous flux	Overall length	Nominal lamp life time
LINESTRA DIM 4.5 W/827 S14s	4.50 W	220...240 V	2700 K	Warm White	250 lm	300.0 mm	25000 h
LINESTRA DIM 4.5 W/827 S14d	4.50 W	220...240 V	2700 K	Warm White	250 lm	300.0 mm	25000 h
LINESTRA DIM 7 W/827 S14s	7.00 W	220...240 V	2700 K	Warm White	470 lm	500.0 mm	25000 h
LINESTRA DIM 7 W/827 S14d	7.00 W	220...240 V	2700 K	Warm White	470 lm	500.0 mm	25000 h
LINESTRA DIM 15 W/827 S14s	15.00 W	220...240 V	2700 K	Warm White	1055 lm	1000 mm	20000 h

Product description	Rated lamp life time	Number of switching cycles	Additional product data	Capabilities	Country specific categorizations
			Base (standard designation)	Dimmable	Order reference
LINESTRA DIM 4.5 W/827 S14s	25000 h	100000	S14s	Yes	LEDINESTRA4,5W/
LINESTRA DIM 4.5 W/827 S14d	25000 h	100000	S14d	Yes	LEDINESTRA4,5W/
LINESTRA DIM 7 W/827 S14s	25000 h	100000	S14s	Yes	LEDINESTRA 7W/8
LINESTRA DIM 7 W/827 S14d	25000 h	100000	S14d	Yes	LEDINESTRA 7W/8
LINESTRA DIM 15 W/827 S14s	20000 h	100000	S14s	Yes	LEDINESTRA 15W/

Product family datasheet



LINESTRA DIM 4.5 W/827 S14s,
LINESTRA DIM 7 W/827 S14d,
LINESTRA DIM 15 W/827 S14s

LINESTRA DIM 4.5 W/827 S14d

LINESTRA DIM 7 W/827 S14s

Application advice

For more detailed application information and graphics please see product datasheet.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075135529	LINESTRA DIM 4.5 W/827 S14s	Shipping carton box 10	355 mm x 200 mm x 140 mm	9.94 dm ³	1361.00 g
4058075135543	LINESTRA DIM 4.5 W/827 S14d	Shipping carton box 10	355 mm x 200 mm x 140 mm	9.94 dm ³	1381.00 g

Product family datasheet

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075135567	LINESTRA DIM 7 W/827 S14s	Shipping carton box 10	555 mm x 200 mm x 140 mm	15.54 dm ³	2120.00 g
4058075135581	LINESTRA DIM 7 W/827 S14d	Shipping carton box 10	555 mm x 200 mm x 140 mm	15.54 dm ³	2170.00 g
4058075135604	LINESTRA DIM 15 W/827 S14s	Shipping carton box 5	1060 mm x 278 mm x 87 mm	25.64 dm ³	2170.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany