Candle Filament Twisted Omni Lamp B22 2W (25W) 2700K 230lm Non-Dimmable 300 deg Beam Angle

Integral Filament Omni Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in chandeliers and fittings where the lamp is exposed. The flame-like shape and warm light creates a pleasing candle-like effect.

These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Product Details

Partcode: ILCANDB22N048

Check Code: 901094

Range Name: Omni

Market Segment: Commercial indoor, Residential indoor

Product Type: Candle

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: B22

Base Type: Bayonet cap

Globe Type: Candle

Globe Finish: Clear

Material: Aluminium, Glass

Construction: Glass shell, filament strip, Aluminium Base

Integral LED

Product Specification Sheet

Physical Data

Length: 91mm

Width: 35mm

Diameter: 35mm

Weight (Unpackaged Single Unit): 19g

Lamp or Luminaire Shape: Oval

Lamp Fixing: Pendant, Wall

Electrical Data

Voltage Range: 220-240V

Power Consumption: 2.0 Watts

Driver included: Yes

Electric Current: AC

Ampage: 20.00mA

Frequency Range: 50 Hz

Power Factor: >=0.40

Wattage Equivalent: 25 Watts

Dimming: Non-dimmable

LVD Certified: Yes

EN: EN-62560

Light Data

Lumens: 230lm

Lumens per Watt: 115.0lm/W

Beam Angle: 300°

Correlated Colour Temperature (CCT): 2700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: >7,500 X

INTEGRAL LED

Product Specification Sheet

Environmental

Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788223290

Packaged Weight (Unit of 1): 60g

Length (unit of 1): 42mm

Width (unit of 1): 42mm

Depth (unit of 1): 105mm

Outer packaging info available on website

Product data last updated on: Tuesday, September 8, 2020 - 22:12