

Classic Candle Frosted 2.7W (25W) 5000K 250lm Non-Dimmable 280 deg Beam Angle

Partcode: ILCANDE14NF053 / Page: 1



Introducing attractive frosted full-glass classic lamps that mirror the look of traditional pearl light bulbs. These lamps look practically indistinguishable from the familiar filament bulbs that have been used for decades.

A wide beam angle will fill your space with Daylight (5000K) colour temperature light.

Product Details

Partcode: ILCANDE14NF053

Check Code: 326749

Range Name: Classic

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: Candle

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: E14

Base Type: Small Edison screw

Globe Type: Candle

Globe Finish: Frosted

Material: Aluminium, Glass

Construction: glass shell, filament strip, Aluminium Base

Partcode: ILCANDE14NF053 / Page: 2

Physical Data

Length: 98mm
Width: 35mm
Diameter: 35mm
Weight (Unpackaged Single Unit): 18g
Lamp or Luminaire Shape: Oval
Lamp Fixing: Pendant, Wall

Electrical Data


Voltage Range: 220-240V
Power Consumption: 2.7 Watts
Driver included: Yes
Electric Current: AC
Ampage: 22.00mA
Frequency Range: 50/60 Hz
Power Factor: ≥ 0.40
Wattage Equivalent: 25 Watts
Dimming: Non-dimmable
Compatible Dimmer(s): Varilight
LVD Certified: Yes
EN: EN-62560

Light Data

Lumens: 250lm
Lumens per Watt: 93.0lm/W
Beam Angle: 280°
Correlated Colour Temperature (CCT): 5000k
Colour Temperature: Daylight
Colour Rendering Index (CRI): ≥ 80
LED Type: Surface mounted device (SMD)
Instant on - Less than 1 second: Yes
Lifetime: 15,000 hrs
Switching Cycles: $>7,500$ X

Partcode: ILCANDE14NF053 / Page: 3

Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788232339

Packaged Weight (Unit of 1): 38g

Length (unit of 1): 50mm

Width (unit of 1): 50mm

Depth (unit of 1): 110mm

Outer packaging info available on website

Product data last updated on: Tuesday, May 11, 2021 - 17:42