

# **Product Specification Sheet**

# Candle Full Glass Omni-Lamp 2W (25W) 2700K 250lm E27 Non-Dimmable 330 deg Beam Angle

Partcode: ILCANDE27NC038 / Page: 1



Integral Filament Omni Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in chandeliers and fittings where the lamp is exposed. These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

#### **Product Details**

Partcode: ILCANDE27NC038

Check Code: 535806 Range Name: Omni

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: Candle Warranty: 2 Years CE / RoHS: Yes

## **Physical Data**

Lamp Base: E27

Base Type: Edison screw

Globe Type: Candle Globe Finish: Clear

Material: Glass

Construction: Glass shell, Filament strip



# **Product Specification Sheet**

Partcode: ILCANDE27NC038 / Page: 2

## **Physical Data**

Length: 92mm Width: 35mm

Weight (Unpackaged Single Unit): 19g

Lamp or Luminaire Shape: Oval Lamp Fixing: Pendant, Wall

#### **Electrical Data**

Voltage Range: 220-240V

Power Consumption: 2.0 Watts

Driver included: Yes Electric Current: AC Ampage: 18.00mA

Frequency Range: 50 Hz Power Factor: >=0.40

Wattage Equivalent: 25 Watts

Dimming: Non-dimmable

LVD Certified: Yes EN: EN-62560

## **Light Data**

Lumens: 250lm

Lumens per Watt: 125.0lm/W

Beam Angle: 330°

Correlated Colour Temperature (CCT): 2700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs


Switching Cycles: >7,500 X



# **Product Specification Sheet**

Partcode: ILCANDE27NC038 / Page: 3

#### **Environmental**



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

## **Packaging**



EAN Barcode (unit of 1): 5055788221852

Packaged Weight (Unit of 1): 69g

Length (unit of 1): 108mm Width (unit of 1): 42mm Depth (unit of 1): 42mm

Outer packaging info available on website

Product data last updated on: Wednesday, September 11, 2019 - 16:38