

**Classic Globe (GLS) Omni-Lamp 4.5W (40W) 2700K 470lm B22 Dimmable  
300 deg Beam Angle**

*Partcode: ILGLSB22DC053 / Page: 1*



Integral Filament Omni Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in chandeliers and fittings where the lamp is exposed. The flame-like shape and warm light creates a pleasing candle-like effect.

These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

**Product Details**

Partcode: ILGLSB22DC053

Check Code: 433688

Range Name: Omni

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

**Physical Data**

Lamp Base: B22

Base Type: Bayonet cap

Base Colour: Matt white

Globe Type: Classic Globe (GLS)

Globe Finish: Clear

Material: Aluminium, Glass

Construction: glass shell, filament strip, Aluminium Base

*Partcode: ILGLSB22DC053 / Page: 2*

**Physical Data**

Length: 103mm  
Width: 60mm  
Weight (Unpackaged Single Unit): 32g  
Lamp or Luminaire Shape: Round  
Lamp Fixing: Pendant, Wall

**Electrical Data**


Voltage Range: 220-240V  
Power Consumption: 4.5 Watts  
Driver included: Yes  
Electric Current: AC  
Ampage: 22.00mA  
Frequency Range: 50 Hz  
Power Factor:  $\geq 0.80$   
Wattage Equivalent: 40 Watts  
Dimming: Dimmable with compatible dimmers  
Compatible Dimmer(s): Varilight JQP401W  
LVD Certified: Yes  
EN: EN-62560

**Light Data**

Lumens: 470lm  
Lumens per Watt: 104.0lm/W  
Beam Angle: 300°  
Correlated Colour Temperature (CCT): 2700k  
Colour Temperature: Warm  
Colour Rendering Index (CRI):  $\geq 80$   
LED Type: Filament chip  
Instant on - Less than 1 second: Yes  
Lifetime: 15,000 hrs  
Switching Cycles:  $>7,500$  X

Partcode: ILGLSB22DC053 / Page: 3

### Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

### Packaging



EAN Barcode (unit of 1): 5055788222446

Packaged Weight (Unit of 1): 94g

Length (unit of 1): 115mm

Width (unit of 1): 64mm

Depth (unit of 1): 64mm

**Outer packaging info available on website**

Product data last updated on: Sunday, February 14, 2021 - 22:04