

**Classic Globe (GLS) Filament Omni-Lamp B22 9W (75W) 2700K 1055lm
Dimmable 300 deg Beam Angle***Partcode: ILGLSB22DC060 / Page: 1*

Integral Filament Omni GLS Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in ceiling pendants and fittings where the lamp is exposed.

These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Product Details

Partcode: ILGLSB22DC060

Check Code: 158296

Range Name: Omni

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: B22

Base Type: Bayonet cap

Globe Type: Classic Globe (GLS)

Globe Finish: Clear

Material: Aluminium, Glass

Construction: Glass shell, filament strip, Aluminium Base

Partcode: ILGLSB22DC060 / Page: 2

Physical Data

Length: 117mm
Width: 67mm
Diameter: 67mm
Weight (Unpackaged Single Unit): 48g
Lamp or Luminaire Shape: Round
Lamp Fixing: Pendant, Wall

Electrical Data


Voltage Range: 220-240V
Power Consumption: 9.0 Watts
Driver included: Yes
Electric Current: AC
Ampage: 40.00mA
Frequency Range: 50 Hz
Power Factor: ≥ 0.90
Wattage Equivalent: 75 Watts
Dimming: Dimmable with compatible dimmers
LVD Certified: Yes
EN: EN-62560

Light Data

Lumens: 1,055lm
Lumens per Watt: 117.0lm/W
Beam Angle: 300°
Correlated Colour Temperature (CCT): 2700k
Colour Temperature: Warm
Colour Rendering Index (CRI): ≥ 80
LED Type: Filament chip
Instant on - Less than 1 second: Yes
Lifetime: 15,000 hrs
Switching Cycles: $>7,500$ X

Partcode: ILGLSB22DC060 / Page: 3

Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788229360

Packaged Weight (Unit of 1): 98g

Length (unit of 1): 70mm

Width (unit of 1): 70mm

Depth (unit of 1): 122mm

Outer packaging info available on website

Product data last updated on: Saturday, May 22, 2021 - 01:36