

## **Product Specification Sheet**

# Classic Globe (GLS) Full Glass Omni-Lamp 8.5W (75W) 2700K 1055lm B22 Non-Dimmable 300 deg Beam Angle

Partcode: ILGLSB22NC039 / Page: 1



Integral Filament Omni GLS Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in ceiling pendants and fittings where the lamp is exposed.

These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

#### **Product Details**

Partcode: ILGLSB22NC039

Check Code: 815847 Range Name: Omni

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS Warranty: 2 Years CE / RoHS: Yes

### **Physical Data**

Lamp Base: B22

Base Type: Bayonet cap

Globe Type: Classic Globe (GLS)

Globe Finish: Clear

Material: Glass

Construction: Glass shell, Filament strip



## **Product Specification Sheet**

Partcode: ILGLSB22NC039 / Page: 2

#### **Physical Data**

Length: 117mm Width: 67mm

Weight (Unpackaged Single Unit): 48g Lamp or Luminaire Shape: Round

Lamp Fixing: Pendant, Wall

#### **Electrical Data**

Voltage Range: 220-240V

Power Consumption: 8.5 Watts

Driver included: Yes Electric Current: AC Ampage: 62.00mA

Frequency Range: 50 Hz Power Factor: >=0.50

Wattage Equivalent: 75 Watts

Dimming: Non-dimmable

LVD Certified: Yes EN: EN-62560

#### **Light Data**

Lumens: 1,055lm

Lumens per Watt: 124.0lm/W

Beam Angle: 300°

Correlated Colour Temperature (CCT): 2700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: >7,500 X



# **Product Specification Sheet**

Partcode: ILGLSB22NC039 / Page: 3

#### **Environmental**



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

## **Packaging**



EAN Barcode (unit of 1): 5055788217442

Packaged Weight (Unit of 1): 98g

Length (unit of 1): 127mm
Width (unit of 1): 70mm
Depth (unit of 1): 70mm

Outer packaging info available on website

Product data last updated on: Tuesday, March 23, 2021 - 17:25