

Product Specification Sheet

Classic Globe (GLS) Omni-Lamp 6W (60W) 2700K 806Im E27 Non-Dimmable 300 deg Beam Angle

Partcode: ILGLSE27NC027 / Page: 1



Integral Filament Omni GLS Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in ceiling pendants and fittings where the lamp is exposed.

These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Product Details

Partcode: ILGLSE27NC027

Check Code: 737616 Range Name: Omni

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS Warranty: 2 Years CE / RoHS: Yes

Physical Data

Lamp Base: E27

Base Type: Edison screw Base Colour: Matt white

Globe Type: Classic Globe (GLS)

Globe Finish: Clear

Material: Glass



Product Specification Sheet

Partcode: ILGLSE27NC027 / Page: 2

Physical Data

Length: 108mm Width: 60mm

Weight (Unpackaged Single Unit): 32g Lamp or Luminaire Shape: Round

Electrical Data

Voltage Range: 220-240V

Lamp Fixing: Pendant, Wall

Power Consumption: 6.0 Watts

Driver included: Yes

Driver IC Manufacturer: Mingwei

Electric Current: AC Ampage: 50.00mA

Frequency Range: 50 Hz Power Factor: >=0.50

Wattage Equivalent: 60 Watts

Dimming: Non-dimmable

LVD Certified: Yes EN: EN-62560

Light Data

Lumens: 806lm

Lumens per Watt: 134.0lm/W

Beam Angle: 300°

Correlated Colour Temperature (CCT): 2700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: >7,500 X



Product Specification Sheet

Partcode: ILGLSE27NC027 / Page: 3

Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788212379

Packaged Weight (Unit of 1): 80g

Length (unit of 1): 135mm Width (unit of 1): 68mm Depth (unit of 1): 68mm

Outer packaging info available on website

Product data last updated on: Tuesday, May 11, 2021 - 17:42