WarmTone Candle 6W (40W) 1800-2700K 470Im E14 Dimmable Lamp



The dimmer the light, the warmer the colour - Integral WarmTone LED Lamps are ideal for bringing a cosy atmosphere to your home or hospitality environments.

By using advanced LED dimming technology, the WarmTone range closely resembles the dimming performance of halogen or incandescent lamps, which naturally get warmer in tone as they dim to lower levels of luminosity. The Warmtone range combines the aesthetic benefits of traditional lighting technologies with the energy efficiency and long lifetime of LED.

Watch Video

Product Details

Partcode: ILCANDE14DC056 Check Code: 410505 Range Name: WarmTone Placement / Application: Indoor, General Lighting Market Segment: Commercial indoor, Residential indoor Product Type: Candle Warranty: 2 Years CE / RoHS: Yes

Physical Data

Lamp Base: E14 Base Colour: Matt white Globe Finish: Frosted Construction: Plastic

integral LED

Partcode: ILCANDE14DC056 / Page: 2

Physical Data

Length: 105mm Width: 35mm Weight (Unpackaged Single Unit): 50g Lamp or Luminaire Shape: Round

Electrical Data

Voltage Range: 220-240V Power Consumption: 6.0 Watts Electric Current: AC Ampage: 27.00mA Frequency Range: 50 Hz Power Factor: >=0.50 Wattage Equivalent: 40 Watts Dimming: Dimmable with compatible dimmers LVD Certified: Yes EN: EN-62560

Light Data


Lumens: 470lm Lumens per Watt: 78.0lm/W Beam Angle: 220° Correlated Colour Temperature (CCT): 1800-2700k Colour Temperature: Ultra Warm to Warm White Colour Rendering Index (CRI): >=80 LED Type: Surface mounted device (SMD) Instant on - Less than 1 second: Yes Lifetime: 15,000 hrs Switching Cycles: >7,500 X

www.integral-led.com



Partcode: ILCANDE14DC056 / Page: 3

Environmental



Energy Rating: A+ Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees IP (Ingress Protection) Rating: IP20 Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788233459 Packaged Weight (Unit of 1): 75g Length (unit of 1): 110mm Width (unit of 1): 50mm Depth (unit of 1): 50mm **Outer packaging info available on website**

Product data last updated on: Wednesday, September 11, 2019 - 17:11

www.integral-led.com