

**GU10 Glass PAR16 5.6W (56W) 4000K 450lm Dimmable Lamp***Partcode: ILGU10DE087 / Page: 1*

The glass body and cleverly engineered surface mounted LEDs of the Integral LED Glass GU10 range give them an attractive look that is very similar to traditional halogen lamps. These GU10 lamps will retrofit easily into existing fittings and provide significant energy savings and longer lifetime than the halogen lamps they are designed to replace.

**Product Details**

Partcode: ILGU10DE087

Check Code: 293576

Range Name: Glass

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GU10

Warranty: 2 Years

CE / RoHS: Yes

**Physical Data**

Lamp Base: GU10 PAR16

Base Type: GU10

Globe Finish: Dichroic look

Spot Type: SMD with "COB like effect"

Optic: Designed to give a Halogen look

Material: Glass

Construction: Glass body and "fly eye" diffuser lens

*Partcode: ILGU10DE087 / Page: 2*

**Physical Data**

Length: 54mm

Width: 50mm

Weight (Unpackaged Single Unit): 50g

Lamp or Luminaire Shape: Round

Lamp Fixing: Downlight

**Electrical Data**

Voltage Range: 220-240V

Power Consumption: 5.6 Watts

Driver included: Yes

Driver IC Manufacturer: SM7307

Electric Current: AC

Ampage: 28.00mA

Frequency Range: 50/60 Hz

Power Factor:  $\geq 0.50$

Wattage Equivalent: 56 Watts

Dimming: Dimmable with compatible dimmers

Compatible Dimmer(s): Varilight JQP401W

LVD Certified: Yes

EN: EN-62560

**Light Data**

Useful Lumens: 390lm (Rated luminous flux in a 90° cone)

Lumens: 450lm

Lumens per Watt: 80.0lm/W

Peak Intensity: 980Cd

Beam Angle: 36°

Correlated Colour Temperature (CCT): 4000k

Colour Temperature: Cool White

Colour Rendering Index (CRI):  $\geq 80$

LED Type: Surface mounted device (SMD)


Instant on - Less than 1 second: Yes

Lifetime: 25,000 hrs

Switching Cycles: >12,500 X

Partcode: ILGU10DE087 / Page: 3

### Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

### Packaging



EAN Barcode (unit of 1): 5055788230038

Packaged Weight (Unit of 1): 74g

Length (unit of 1): 60mm

Width (unit of 1): 55mm

Depth (unit of 1): 55mm

**Outer packaging info available on website**

Product data last updated on: Wednesday, September 11, 2019 - 17:03