GU10 PAR16 4.2W (50W) 6500K 430Im Dimmable Lamp

Partcode: ILGU10DG111 / Page: 1



The Integral LED Classic GU10 range offers a fantastic ratio of value and performance. By incorporating a stylish engineered lens in an affordable GU10, the Classic offers directional light with a beam angle that closely mirrors that of familiar halogen lamps along with all the energy-saving and long-life benefits of LED.

Product Details

Partcode: ILGU10DG111 Check Code: 097344 Range Name: Classic Placement / Application: Indoor, General Lighting Market Segment: Commercial indoor, Residential indoor Product Type: GU10 Warranty: 2 Years CE / RoHS: Yes

Physical Data

Lamp Base: GU10 PAR16 Base Type: GU10 Base Colour: Matt white Product Finish: Matt white Spot Type: SMD Optic: Designed to give a Classic Look Material: Plastic and Aluminium heat-sink, Injection moulded diffuser Construction: Plastic White and "Classic look" diffuser lens

www.integral-led.com

Partcode: ILGU10DG111 / Page: 2

Physical Data

Length: 54mm Width: 50mm Weight (Unpackaged Single Unit): 23g Lamp or Luminaire Shape: Round Lamp Fixing: Downlight

Electrical Data

Voltage Range: 220-240V Power Consumption: 4.2 Watts Driver included: Yes Driver IC Manufacturer: Silergy Electric Current: AC Ampage: 25.00mA Frequency Range: 50/60 Hz Power Factor: >=0.50 Wattage Equivalent: 50 Watts Dimming: Dimmable with compatible dimmers Compatible Dimmer(s): Varilight JQP401W LVD Certified: Yes EN: EN-62560

Light Data

Useful Lumens: 380lm (Rated luminous flux in a 90° cone) Lumens: 430lm Lumens per Watt: 102.0lm/W Peak Intensity: 850Cd Beam Angle: 36° Correlated Colour Temperature (CCT): 6500k Colour Temperature: Daylight Colour Rendering Index (CRI): >=80 LED Type: Surface mounted device (SMD) LED Size: 2835 Instant on - Less than 1 second: Yes Lifetime: 15,000 hrs Switching Cycles: >7,500 X

www.integral-led.com



Partcode: ILGU10DG111 / Page: 3

Environmental

Energy Rating: A+ Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees IP (Ingress Protection) Rating: IP20 Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788252498 Packaged Weight (Unit of 1): 48g Length (unit of 1): 60mm Width (unit of 1): 55mm Depth (unit of 1): 55mm **Outer packaging info available on website**

Product data last updated on: Monday, July 27, 2020 - 17:03

www.integral-led.com